

COMP2012H

Inheritance: Introduction

Example: University Admin Info

- Let's implement a system for maintaining university administration information.
 - `Teacher` and `Student` are two completely separate classes. Their implementation uses separate code.
 - However, they share many methods and members that are implemented in the same way: handling name, address, and department.
 - Why do we implement the same function twice?
 - This is not good software reuse!

Example: U. Admin Info – Student.hpp

```
#define accounting 0
#define business 1
#define engineering 2
#define mathematics 3
#define unknown 4
typedef int Department;
class Student
{
    private:
        string name;
        string address;
        Department dept;
        Course* enrolled;
        int num_courses;
    public:
        Student(string n, string a, Department d) :
            name(n), address(a), dept(d), enrolled(NULL), num_courses(0) { };
        void set_name(const char* name);
        void set_address(const char* adr);
        void set_department(Department dept);
        string get_name() const;
        string get_address() const;
        Department get_department() const;
        bool enroll_course(const string&);
        bool drop_course(const Course&);
};
```

Example: U. Admin Info – Student.hpp

```
enum Department { accounting, business, engineering, mathematics, unknown };
class Student
{
    private:
        string name;
        string address;
        Department dept;
        Course* enrolled;
        int num_courses;
    public:
        Student(string n, string a, Department d) :
            name(n), address(a), dept(d), enrolled(NULL), num_courses(0) { };
        void set_name(const char* name);
        void set_address(const char* adr);
        void set_department(Department dept);
        string get_name() const;
        string get_address() const;
        Department get_department() const;
        bool enroll_course(const string&);
        bool drop_course(const Course&);
};
```

Example: U. Admin Info – Teacher.hpp

```
enum Rank { instructor, assistant_prof, associate_prof, professor, dean };
class Teacher
{
    private:
        string name;
        string address;
        Department dept;
        Rank rank;
    public:
        Teacher(string n, string a, Department d, Rank r) :
            name(n), address(a), dept(d), rank(r) { };
        void set_name(const char* name);
        void set_address(const char* adr);
        void set_department(Department dept);
        void set_rank(Rank rank);
        string get_name() const;
        string get_address() const;
        Department get_department() const;
        Rank get_rank() const;
};
```

Things to Consider

- We want a way to say that `Student` and `Teacher` both have the same members: `name`, `address`, `dept`, but yet require them to keep a separate copy of these members.
- We want to share the code for `set_name`, etc., between `Student` and `Teacher` as well.
- We want this code to act like member functions (to permit consistency of state of the objects), so they cannot be written as global functions.

Solution 1: Re-use by Copying

- Copy the code from one class to the other class, and change the class names.
 - This is very error prone.
 - It is also a maintenance nightmare.
 - What if we find a bug in the code in one class?
 - What if we want to improve the code? Perhaps by introducing a new class `Address`.
- “REUSE by COPYING” is a bad idea!

Inheritance

- Inheritance enables code reuse.
- Inheritance is the ability to define a new class based on an existing class with a hierarchy.
- The derived class *inherits* the data members and member methods) of the base class.
- New members and methods can be added to the derived class.
- Since the new class only has to implement the behavior that is different from the base class, we can reuse the code for the base class.
- “Inheritance” is the traditional term, but C++ calls it “derivation” .

Solution 2: By Inheritance – Person.hpp

```
class Person
{
    private:
        string name;
        string address;
        Department dept;

    public:
        Person(string n, string a, Department d) :
            name(n), address(a), dept(d) { };
        void set_name(const char* name);
        void set_address(const char* adr);
        void set_department(Department dept);
        string get_name() const;
        string get_address() const;
        Department get_department() const;
};
```

Solution 2: By Inheritance – Student.hpp

```
class Student : public Person
{
    private:
        Course* enrolled;
        int num_courses;

    public:
        Student(string n, string a, Department d) :
            Person(n, a, d), enrolled(NULL), num_courses(0) { }

        bool enroll_course(const string&);
        bool drop_course(const Course&);
};
```

Solution 2: By Inheritance – Teacher.hpp

```
class Teacher : public Person
{
    private:
        Rank rank;

    public:
        Teacher(string n, string a, Department d, Rank r) :
            Person(n, a, d), rank(r) { }

        void set_rank(Rank rank);
        Rank get_rank() const;
};
```

Inheritance

- Person is the base class of Student.
- Student is a derived class of Person.
- The effect is that Student inherits all data members and methods from Person.
- The data members of Student are the data members of Person (name, address, dept), plus the extra data members declared in the definition of Student (enrolled, num_courses).

Example: Inherited Members

```
void some_func(Person& person, Student& student)
{
    cout << person.get_name() << endl;
    cout << student.get_name() << endl;

    student.set_department(engineering);
    Department dept = person.get_department();
    student.enroll_course("COMP151");
    person.enroll_course("COMP001");           // Error!
}
```

“Is-a” Relationship

- Inheritance implements the is-a relationship.
 - Recall:
membership (composition) implements the has-a relationship.
- **Since** `Student` inherits from `Person`,
 - every object of type `Student` can be used like an object of type `Person`
 - all methods of `Person` can be called on a `Student` object
- In other words, a `Student` object definitely is a `Person` object under all circumstances.
- In general: a derived class object can be treated like a base class object under all circumstances.

Example: Derived Objects as Base Class Object

```
bool print_mailing_label(const Person& person)
{
    string name = person.get_name();
    string adr = person.get_address();

    // code to print the label
}
```

- Since a Student is a Person, we can print a mailing label for a student like this:

```
Student student( "Tom" , "Sai Kung" ,
    mathematics);
print_mailing_label(student);
```

Direct and Indirect Inheritance

- Let's add a new class `PG_Student`:

```
class PG_Student : public Student
{
    private:
        Topic research_topic;
    public:
        PG_Student(string n, string a, Department d) :
            Student(n, a, d), research_topic(NONE) { }
        void set_topic(const Topic& x) { research_topic = x; }
};
```

- `PG_Student` is directly derived from `Student`.
- It is indirectly derived from `Person`.
- So a `PG_Student` object is a `Person` object.
- `Person` is called an indirect base class for `PG_Student`.